

1. Core features

New cutting edge motor

developped for intense workloads

Dedicated 75 mm Flat Burrs

designed to optimize coffee outflow

100% solid inox fork

conceived for an infinite number of shots & adaptable to any kind of filter-older (even naked)

New full metal body

to ensure unparallel stability and resistance.

Touch Display supporting TFT technology

- Customizable grinding activation
- 3 programmable doses + manual mode
- Extra Dose mode

Password system •

9 languages Interface •

High-resolution display, extremely sensitive •

2. Grinding performances


- a. Grinding capacity*: 4 6 g/s
- **b. Rush Hour Consumption**:** up to 2 kg
- c. Average Daily Consumption: 4,5 5,5 Kg
- d. Dose Stability: The dose variance during grinding is+/- 0.2 g
 - * Grinding capacity depends on the type of coffee, the roasting process and the particles size (more ore less fine)
 - **The value for the rush hour cycle is estimated by grinding a double dose (equal to 18 grams) every 30 seconds.





2. Grinding performances

e. Espresso extraction time is stable within 22-28s during the rush hour conumption* (2kg)



Laboratory tests have shown a constant espresso extraction time during peak usage revealing a stable grind setting.

^{**}The value for the rush hour cycle is estimated by grinding a double dose (equal to 18 grams) every 30 seconds.






^{*}Laboratory tests were performed: grinding 18 gr every 30 sec.

2. Grinding performances

f. The most silent professional grinder on the market.



Comparison among grinders defined as using "Silent technology" on the market.

Atom Excellence 75 makes possible to have a conversation while the barista is grinding, being the most quiet one on the market with its **60.6 dB** recorded by a specialized external lab.



*Sound Pressure Level (Lp) is a measure of the intensity of sound in decibels (dB) and it quantifies the loudness of a sound.




3. Opt for Top

Upgrade Atom Excellence75 with patented diamond inside Burrs (as optional):

Ø 75mm Black Diamond

Ø 75mm Pure Diamond

PROCESS Diamond Inside means superior grind consistency Patented process of thermal cryogenic treatment which allows to obtain greater wear resistance and preserve the grind setting longer than any other burrs type. BLACKDIAMOND DLC Black + Cryogenic Treatment



*Comparative analysis of the <u>wear rate</u> of different burrs types with equal conditions



4. Main Accesory Under-the-grinder automatic tamper for Atom

Optimise counter space. Be faster and consistent. Protect your arm.

- Set your tamping profile, choosing:
- / Tamping range from 10 to 30 kg.
- / Single or double tamping profile.
- **b** Automatic recognition of portafilter, to grant high tamping speed (0.9 sec) and safety operations (metallic reader senso).
- **c.Universal fork**, easily adjustable in height.
- d.Clean mode: actionable directly by display.
- Available disk diameters: 53, 54.3, 57, 58mm*





- *Standard configuration is available in 58 mm. 53 / 54,3 / 57 mm available as spare parts. **Cleaning kit included:
- -Allen spanner for quick disassembly of the pressing disc.
- -Brush for polish hard-to-reach places.





Conti Valerio Srl

via Luigi Longo, 39/41 50019 Sesto Fiorentino (FI) Italy tel. +39 055 4200011 fax +39 055 4200010

> info@eureka.co.it www.eureka.co.it